

imagePROGRAF  
TX-5300 | TX-5400

Canon  
Delighting You Always

# Rewriting the Benchmark with Unparalleled Speed



## Raising the Bar in Print Speed and Quality

Meet the latest imagePROGRAF TX-5300 and TX-5400. Engineered to deliver amazing print speed with sharp reproduction of lines and text even on uncoated paper. Boost productivity with improved features such as Multifunction Roll System, MFP solution, and Wifi connectivity.

# THE TX-SERIES CORE TECHNOLOGIES

The TX series is an embodiment of print technology of the highest order. Employing high-precision mechanical platform and high-speed processing engine, together with the latest FINE print head and new LUCIA TD ink, the TX series deliver stunning prints of the finest details and excellent colour expression in breaking speed.



High-precision mechanical platform

High-speed image processing engine

Printing technology

## HIGH PRECISION MECHANICAL PLATFORM

The newly engineered unibody structure provides a strong platform for stable print head scanning, resulting in precise droplet placement. The perfect combination of speed and high-quality printing is achieved with this new design.

High Precision is Absolute Requirement for Image Quality

Inkjet printing image consists of huge amount of micron size droplet

Accurate dot placement is a key to superb image quality

## PRINTING TECHNOLOGY

The TX series Print Technology uses new LUCIA TD pigment ink which produces excellent quality in fine lines reproduction and sharp text in drawings on both coated and uncoated paper.



The new TX series Print Technology

The all-pigment LUCIA TD ink realizes high density of black and minimizes bleeding by using two types of black ink simultaneously.

## HIGH SPEED IMAGE PROCESSING ENGINE

Big jobs need fast processing. The imagePROGRAF printers are powered by the new L-COA PRO high-speed image processing engine.

The L-COA PRO processing chips forms a high-precision control engine that performs the processing of massive image data, generates the printing data, and controls the optimal ink layout that produces high-resolution prints, delivering supreme print quality at high speed.


The new LUCIA TD ink system gives vibrant colors in poster printing, has excellent color fastness to minimize color fading and even has great outdoor weather resistance with water resistant media.

TX series employs a newly developed FINE print head, PF-06, which is a 1.07 inch, 6-color channels with 15,360 nozzles. This newly developed printhead gives excellent quality through improved uniformity of ink density and colors. Fast, vibrant poster printing is possible even on inkjet plain paper.

## AUTOMATIC MEDIA ROLL LOADING

A breakthrough in Canon technology where media can simply “be placed” on the roll holder and media will automatically be loaded into the machine. In Canon, we call it the “oku-dake” (put only) technology whereby this automatic media roll loading will save you time and make it error and fuss free.

EASY ROLL LOADING : AUTO ROLL-FEEDING STARTS JUST BY PLACING A ROLL.



## DUAL ROLL PRINTING

The lower unit can also be used as a take up roll for unattended printing.

In the TX series, high volume printing can now be achieved by loading up to 2 (TWO) 200m – length of plain paper. It also allows for switching between media for various printing applications either in different media types or sizes to have seamless and efficient printing.

## WIRELESS PRINTING

Wireless networking in office environments is easy and trouble-free, which is convenient when connecting from multiple computers. With no need for a wired connection, users enjoy greater freedom in installation, with fewer restrictions.

## HOT SWAPPING OF INKS

Even if the ink tanks run out of ink, the printers keep some ink in reserve sub-ink tanks, which is used automatically as needed to enable ink tank replacement during printing. Not only does this prevent downtime in continuous printing, it makes it easy to use all ink in the tanks, which can help cut costs.

## MULTI-POSITION BASKET

In the TX series, a multi position basket adapts to many positions and styles of use to suit how users print, the type of media, print size, and other conditions.

REGULAR STACKING  
Holds a single sheet up to 62 inches long.

FLAT STACKING  
Enables face-down flat stacking in the order they are ejected which prevents the printed surface of glossy paper from becoming scratched.

FRONT EJECTION (ADJUSTABLE STACKER DEPTH)  
The basket is positioned directly below the delivery outlet, so printed paper can be removed in a natural posture without having to bend down or stretch out one's arms.

SLOPE  
The printed paper is delivered in the straight condition to the basket cloth that is stretched to create a sloped shape. This effectively prevents scratches and smearing when users do not wish to touch the printed surface with their hands.

## HIGH CAPACITY STACKER

For high volume continuous printing, the TX series offers an optional high capacity stacker that can be set to three positions: (1) stacker position, (2) flat position, or (3) draped position. The different positions allows either the stacking of up to 100 A1 landscape sheets or up to 100 A0 portrait sheets - equivalent to an entire 100 m roll of uncoated paper.

STANDARD BASKET

10 SHEETS

FLAT POSITION (FACE-DOWN)

100 SHEETS\* A1 LANDSCAPE

DRAPED POSITION (FACE-DOWN)

100 SHEETS\* A0 PORTRAIT

- Stacker holds drawings face-down in the order they are ejected
- Output can be easily removed from a natural posture from the front
- \*Canon Océ Red Label Paper PEFC 75gsm

**PRODUCTIVITY**



**LARGE INK TANKS**

- 160ml, 330ml or 700ml



**DUAL ROLL FEEDING**

- Dual feeding rolls with rewinding functions

**USABILITY**



**AUTO ROLL LOADING AND SWITCHING**

- Automatic paper feeding - user can leave after placing the roll media



**MULTI POSITION BASKET**

- Regular stacking
- Flat stacking
- Front ejection (adjustable stacker depth)
- Slope



**DIRECT PRINTING USB**

- Direct JPEG and PDF format printing



**CONNECTIVITY**

- Wi-Fi (IEEE 802.11b/g/n)
- Gigabit network & hi-speed USB



**HOT FOLDERS ON PRINTER**

- 5 hot folders can be setup to support various print workflows

**RELIABILITY**



**ROBUST SECURITY**

- Automatic encryption (AES-256 standard) of all data on the disk minimizes the risk of leaks in case of theft

**TX-5300 OVERVIEW**



**HIGH CAPACITY STACKER**

- Allows either the stacking of up to 100 A1 landscape sheets or up to 100 A0 portrait sheets



**HIGH SPEED PROCESSING**

- High speed image processing engine

**NEW PRINT HEAD**

- Fast, supreme quality printing with 15,360 nozzles



**NEW LUCIA TD INK**


- All new 5 color pigment ink



**QUALITY**


**VIBRANT PRINTING ON PLAIN PAPER**

- Newly developed Lucia TD ink has excellent reactivity between pigments and media components



**HIGH PRECISION PRINTING**

- Accurate dot placement is a key to superb image quality



**SOFTWARE SOLUTIONS**


**MEDIA CONFIGURATION TOOL**

- All types of media can be supported



**ACCOUNTING MANAGER**

- Gives you control of your costs



**DIRECT PRINT & SHARE**

- Batch printing
- Cloud printing
- Shortcut printing



**COPY & SCAN (with T36 Scanner Option)**

**HIGH SPEED SCANNING**

- 6"ips color
- 13"ips black & white



**LARGE TOUCHSCREEN DISPLAY**

- Dimensions 15.6" touchscreen panel



**PARALLEL PROCESSING OF SCANNING AND PRINTING**

- Parallel processing to streamline your work



**ERGONOMIC COMPACT DESIGN**

TX-5300 : 1390 mm Wide | TX-5400 : 1593 mm Wide

# imagePROGRAF MFP SOLUTION

The TX MFP T36 solution is a powerful Scan-to-Copy/File/Email/Cloud and print solution that combines speed and precision and comes with exceptional All in One (AIO) PC.

## PRODUCT SPECIFICATIONS

|                          |                         |
|--------------------------|-------------------------|
| <b>Appearance</b>        | <b>Scan Resolution</b>  |
| Integrated MFP           | 1200 dpi                |
| <b>Scan Technology</b>   | <b>Productivity</b>     |
| Single sensor            | Parallel print & scan   |
| <b>Scan Speed</b>        | <b>Ease of Use</b>      |
| 6 inch-per-sec in colour | 15.6inch touch panel    |
| <b>Media Thickness</b>   | <b>Ease of Use</b>      |
| Up to 2mm                | New SmartWorks software |




### EXCELLENT VISIBILITY & OPERABILITY



TX MFP solution incorporates an all-in-one computer featuring a generous 15.6” touchscreen panel. Tasks such as previewing scanned images or doing editing work are easy, with simple, intuitive operations; so that you can check the image in detail before printing.

### SINGLE SENSOR TECHNOLOGY



SingleSensor technology provides high-quality scanned image. As a single line sensor covers full width to scan, edge of small texts and thin lines can be sharply and clearly reproduced, without misalignment between sensors.

### ABUNDANT IMAGE ENHANCEMENT FEATURES



Abundant image enhancement features are incorporated such as de-skew, white point, color reversal of diazo print and restoration of deteriorated original images, which is useful for archiving old drawings.

# SOFTWARE SOLUTION

## SECURITY

The TX series complies with the Advanced Encryption Standard, 256-bit, as was established by the U.S. National Institute of Standards and Technology, or NIST.



The self-encrypting hard disk automatically encrypts and decrypts image data as it is saved or printed and does not add to the processing load of print jobs.



Encrypting all data on the disk minimizes the risk of leaks in the case of theft. In this way, strict print data confidentiality is maintained, which gives users peace of mind in printer management.



In summary, the TX series meets security requirements in each area of secure communication, secure storage, secure interfaces, and secure management.



## QUICK UTILITY TOOLBOX

Quick Utility Toolbox is home to all Canon imagePROGRAF TX Series printer software and tools.

### ACCOUNTING MANAGER

In today's printing environment, it is more important than ever to understand how much each print job is costing your business. Compatible with both Mac and Microsoft platforms, Accounting Manager serves as a powerful feature used for accurately managing your print costs. With Accounting Manager, you can track how much ink and paper is being consumed on printing with up to 50 printers.


### DEVICE MANAGEMENT CONSOLE

The Device Management Console software, is ideal for fleet management. This software lets you monitor the printer status of up to 50 printers from any location in the world, be notified by email when an error occurred, or check the amount of ink left in the printers without ever having to leave the comfort of your desk.

### MEDIA CONFIGURATION TOOL

Recognising the expanding array of media options for large format printers and to further improve the versatility of these new imagePROGRAF models, Canon has developed a Media Configuration Tool, which allows customers to not only utilise Canon-branded media, but providing them the ability to make adjustments to printer settings to enhance the precision and quality of output achieved with custom media.


### HIGH-QUALITY IMAGE SCANNING



Patented technology No: 8922849

Bi-directional illumination from dual LED arranged on the right and left of the sensor reduces shadowing at creases or folds. High quality scanned image can be obtained.

### DIVERSE MEDIA SUPPORT




Front entry and rewind to front path (u-turn like), which is often used for regular scanning of plain paper document. Straight path of front entry to rear exit makes it possible to scan documents up to 2.0 mm thick.

### INTUITIVE USER INTERFACE



The MFP solution can be used with SmartWorks MFP, scanning software that simplifies large-format scanning or copying with intuitive operations on the touchscreen display; even unskilled or inexperienced users.

### SCAN TO CLOUD



### DIRECT PRINT & SHARE

This software enables to batch print multiple files of different types such as PDF, JPEG, TIFF and HP-GL/2, without starting up the dedicated applications. In addition, the shortcut printing function can be used to perform printing according to pre-registered print settings such as outputting printer, print quality, paper type and paper size, simply by dragging & dropping the files to be printed to the shortcut folder.

Saved files can also be uploaded to cloud storage and shared among remote locations or across multiple sites.

imagePROGRAF  
TX-5300 | TX-5400

Raising the Bar in Print Speed and Quality



**Canon**  
Delighting You Always

CANON SINGAPORE PTE. LTD.  
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522  
Tel : 65-6799-8888 | Fax : 65-6799-8882 | [www.canon-asia.com](http://www.canon-asia.com)



SCAN HERE  
FOR MORE INFO

CANON BUSINESS PARTNER / DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.

Warning: Unauthorised recording of copyrighted materials may infringe on the rights of copyright owners and be contrary to copyright laws.

imagePROGRAF  
TX-5300 | TX-5400

Canon  
Delighting You Always

# Rewriting the Benchmark with Unparalleled Speed



## Raising the Bar in Print Speed and Quality

Meet the latest imagePROGRAF TX-5300 and TX-5400. Engineered to deliver amazing print speed with sharp reproduction of lines and text even on uncoated paper. Boost productivity with improved features such as Multifunction Roll System, MFP solution, and Wifi connectivity.

# SPECIFICATIONS

## imagePROGRAF TX-5300 | TX-5400

| PRINTER                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                           | TX-5300                                                          |                                                       | TX-5400                                                          |                |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------|----------------|
| Printer Type                                                                                                                | 5 Colour 36"                                                                                                                                                                                                                                                                                                                                                              |                                                                  |                                                       | 5 Colour 44"                                                     |                |
| Number of Nozzles                                                                                                           | 15,360 nozzles; (MBK 5,120 nozzles, BK, C, M, Y 2,560 nozzles each)                                                                                                                                                                                                                                                                                                       |                                                                  |                                                       |                                                                  |                |
| Print Resolution                                                                                                            | 2400 dpi x 1200 dpi                                                                                                                                                                                                                                                                                                                                                       |                                                                  |                                                       |                                                                  |                |
| Nozzle Pitch                                                                                                                | 1200dpi (2lines)                                                                                                                                                                                                                                                                                                                                                          |                                                                  |                                                       |                                                                  |                |
| Line Accuracy                                                                                                               | ±0.1 % or less                                                                                                                                                                                                                                                                                                                                                            |                                                                  |                                                       |                                                                  |                |
| Ink Droplet Size                                                                                                            | 5 Picoliter                                                                                                                                                                                                                                                                                                                                                               |                                                                  |                                                       |                                                                  |                |
| Ink Capacity                                                                                                                | 160ml/330ml/700ml; Bundled Starter Ink : 330ml (MBK)/160ml (BK, C, M, Y)                                                                                                                                                                                                                                                                                                  |                                                                  |                                                       |                                                                  |                |
| Ink Type                                                                                                                    | Pigment inks/5 color - MBK/BK/C/M/Y                                                                                                                                                                                                                                                                                                                                       |                                                                  |                                                       |                                                                  |                |
| Printer Languages                                                                                                           | SG Raster (Swift Graphic Raster), HP-GL/2, HP RTL , PDF (Ver.1.7), JPEG (Ver. JFIF 1.02)                                                                                                                                                                                                                                                                                  |                                                                  |                                                       |                                                                  |                |
| Standard Interfaces                                                                                                         | USB B Port: Built in (Hi-Speed USB ), Full Speed (12 Mbit/sec), High Speed (480 Mbit/sec), Bulk transfer, Series B (4 pins); USB A Port: USB Memory Direct Print Gigabit Ethernet: IEEE 802.3 10base-T, IEEE 802.3u 100base-TX / Auto-Negotiation, IEEE 802.3ab 1000base-T/ Auto-Negotiation, IEEE 802.3x Full Duplex Wireless LAN: IEEE802.11n/ IEEE802.11g/ IEEE802.11b |                                                                  |                                                       |                                                                  |                |
| Memory                                                                                                                      | Standard memory: 128GB (Physical memory 2GB)                                                                                                                                                                                                                                                                                                                              |                                                                  |                                                       |                                                                  |                |
| Hard Disk                                                                                                                   | 500GB (Encrypted)                                                                                                                                                                                                                                                                                                                                                         |                                                                  |                                                       |                                                                  |                |
| PRINTING SPEED (A0 SIZE)                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Plain Paper (CAD Drawings)                                                                                                  | 00:37 Fast (Custom Q5)                                                                                                                                                                                                                                                                                                                                                    |                                                                  | 00:40 Fast                                            |                                                                  | 01:10 Standard |
| Heavyweight Coated paper HG (CAD Drawings)                                                                                  | 00:45 Fast (Custom Q5)                                                                                                                                                                                                                                                                                                                                                    |                                                                  | 01:11 Fast                                            |                                                                  | 02:16 Standard |
| Plain Paper (Poster)                                                                                                        | 00:42 Fast (Custom Q5)                                                                                                                                                                                                                                                                                                                                                    |                                                                  | 00:42 Fast                                            |                                                                  | 01:26 Standard |
| Heavyweight Coated paper HG (Poster)                                                                                        | 01:43 Fast                                                                                                                                                                                                                                                                                                                                                                |                                                                  |                                                       | 02:37 Standard                                                   |                |
| MEDIA HANDLING                                                                                                              | TX-5300                                                                                                                                                                                                                                                                                                                                                                   |                                                                  | TX-5400                                               |                                                                  |                |
| Media Width                                                                                                                 | Roll paper: 203.2 ~ 917mm, Cut sheet: 203.2 ~ 917mm                                                                                                                                                                                                                                                                                                                       |                                                                  | Roll paper: 203.2 ~ 1118mm, Cut sheet: 203.2 ~ 1118mm |                                                                  |                |
| Media Thickness                                                                                                             | Roll paper / Cut: 0.07 ~ 0.8mm                                                                                                                                                                                                                                                                                                                                            |                                                                  |                                                       |                                                                  |                |
| Minimum Printable Length                                                                                                    | 203.2 mm                                                                                                                                                                                                                                                                                                                                                                  |                                                                  |                                                       |                                                                  |                |
| Maximum Printable Length                                                                                                    | Roll paper: 18 m, Cut sheet: 1.6 m                                                                                                                                                                                                                                                                                                                                        |                                                                  |                                                       |                                                                  |                |
| Maximum Media Roll Outer Diameter                                                                                           | 170 mm                                                                                                                                                                                                                                                                                                                                                                    |                                                                  |                                                       |                                                                  |                |
| Paper Feed Method                                                                                                           | Roll Paper: One Roll, Front-loading, Front Output; Added Roll Paper: One Roll, Front-loading, Front Output; Cut Sheet: Front-loading, Front Output (Manual feed using media locking lever)                                                                                                                                                                                |                                                                  |                                                       |                                                                  |                |
| Media Take-up Unit                                                                                                          | Dual directions rolling take-up                                                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Borderless Printing Width (Roll Only)                                                                                       | 594mm (ISO A1), 841mm (ISO A0), 10", 14", 17", 24", 36", 42", 44"                                                                                                                                                                                                                                                                                                         |                                                                  |                                                       |                                                                  |                |
| Media Output (Multiposition Basket)                                                                                         | Standard position: 1 sheet, Flat position: A2 landscape [<10 sheets glossy paper; <20 sheets coated or plain paper]                                                                                                                                                                                                                                                       |                                                                  |                                                       |                                                                  |                |
| Media Output (High Capacity Stacker)                                                                                        | Standard Basket: 10 sheets, Flat Position: 100 sheets (A1 Landscape), Draped Position: 100 sheets (A0 Portrait)                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| DIMENSIONS & WEIGHT                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                           | TX-5300                                                          |                                                       | TX-5400                                                          |                |
| Packaged Dimensions<br>W x D x H (mm) / Weight (kg)                                                                         | Printer (with stand and pallet)                                                                                                                                                                                                                                                                                                                                           | 1606 x 903 x 1061 mm, Weight : 153kg                             |                                                       | 1820 x 915 x 1061 mm, Weight : 165kg                             |                |
|                                                                                                                             | High Capacity Stacker                                                                                                                                                                                                                                                                                                                                                     | 1249 x 906 x 291 mm, Weight : 24kg                               |                                                       | 1464 x 906 x 291 mm, Weight : 25kg                               |                |
|                                                                                                                             | Roll Unit                                                                                                                                                                                                                                                                                                                                                                 | 1524 x 562 x 461 mm, Weight : 26kg                               |                                                       | 1727 x 562 x 461 mm, Weight : 30kg                               |                |
| Physical Dimensions<br>W x D x H (mm) / Weight (kg) (including Roll Holder Set and Roll unit, excluding ink and print head) | Main Unit + Stand + Basket                                                                                                                                                                                                                                                                                                                                                | Basket Opened: 1390 x 984 x 1168 mm                              |                                                       | Basket Opened: 1593 x 984 x 1168 mm                              |                |
|                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                           | Basket Closed: 1390 x 766 x 1168 mm                              |                                                       | Basket Closed: 1593 x 766 x 1168 mm                              |                |
|                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                           | 105 kg (including Roll Holder Set, excluding ink and print head) |                                                       | 114 kg (including Roll Holder Set, excluding ink and print head) |                |
|                                                                                                                             | Main Unit + Roll Unit + Stand + High Capacity Stacker                                                                                                                                                                                                                                                                                                                     | Stacker Opened: 1390 x 1188 x 1168 mm                            |                                                       | Stacker Opened: 1593 x 1188 x 1168 mm                            |                |
|                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                           | Stacker Closed: 1390 x 1122 x 1168 mm                            |                                                       | Stacker Closed: 1593 x 1122 x 1168 mm                            |                |
|                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                           | 136 kg (including Roll Holder Set, excluding ink and print head) |                                                       | 146 kg (including Roll Holder Set, excluding ink and print head) |                |
| POWER AND OPERATING REQUIREMENTS                                                                                            |                                                                                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Power Supply                                                                                                                | AC 100-240V (50-60Hz)                                                                                                                                                                                                                                                                                                                                                     |                                                                  |                                                       |                                                                  |                |
| Power Consumption                                                                                                           | Operation: 105W or less, Sleep mode: 3.6W or less, Power off : 0.3W or less                                                                                                                                                                                                                                                                                               |                                                                  |                                                       |                                                                  |                |
| Operating Environment                                                                                                       | Temperature: 15~30°C, Humidity: 10~80% RH (no dew condensation)                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Acoustic Noise                                                                                                              | Power                                                                                                                                                                                                                                                                                                                                                                     | Operation: 6.9 Bels or less                                      |                                                       |                                                                  |                |
|                                                                                                                             | Pressure                                                                                                                                                                                                                                                                                                                                                                  | Operation: 51dB (A) or less; Standby: 35dB (A) or less           |                                                       |                                                                  |                |
| OPTIONS                                                                                                                     | TX-5300                                                                                                                                                                                                                                                                                                                                                                   |                                                                  | TX-5400                                               |                                                                  |                |
| Roll Unit                                                                                                                   | RU-32                                                                                                                                                                                                                                                                                                                                                                     |                                                                  | RU-42                                                 |                                                                  |                |
| High Capacity Stacker                                                                                                       | SS-31                                                                                                                                                                                                                                                                                                                                                                     |                                                                  | SS-41                                                 |                                                                  |                |
| 2/3" Roll Holder                                                                                                            | RH2-34                                                                                                                                                                                                                                                                                                                                                                    |                                                                  | RH2-45                                                |                                                                  |                |
| CONSUMABLES                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Ink Tank                                                                                                                    | PFI-8110 (160ml) / PFI-8310 (330ml) / PFI-8710 (700ml)                                                                                                                                                                                                                                                                                                                    |                                                                  |                                                       |                                                                  |                |
| Print Head                                                                                                                  | PF-06                                                                                                                                                                                                                                                                                                                                                                     |                                                                  |                                                       |                                                                  |                |
| Cutter Blade                                                                                                                | CT-07                                                                                                                                                                                                                                                                                                                                                                     |                                                                  |                                                       |                                                                  |                |
| Maintenance Cartridge                                                                                                       | MC-30                                                                                                                                                                                                                                                                                                                                                                     |                                                                  |                                                       |                                                                  |                |
| SCANNER                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Scan Width                                                                                                                  | 36" (914mm)                                                                                                                                                                                                                                                                                                                                                               |                                                                  |                                                       |                                                                  |                |
| Min Scan width                                                                                                              | 6" (150mm)                                                                                                                                                                                                                                                                                                                                                                |                                                                  |                                                       |                                                                  |                |
| Max Scan length                                                                                                             | 8m (JPEG/PDF); 15.2m (TIFF)                                                                                                                                                                                                                                                                                                                                               |                                                                  |                                                       |                                                                  |                |
| Scan Speed (Color/B&W)                                                                                                      | 6.0/13 ips                                                                                                                                                                                                                                                                                                                                                                |                                                                  |                                                       |                                                                  |                |
| Optical Resolution                                                                                                          | 1200dpi                                                                                                                                                                                                                                                                                                                                                                   |                                                                  |                                                       |                                                                  |                |
| Max Document Thickness                                                                                                      | 2.0mm                                                                                                                                                                                                                                                                                                                                                                     |                                                                  |                                                       |                                                                  |                |
| PC & Software Included                                                                                                      | 15.6" AIO PC with SmartWorks MFP Software                                                                                                                                                                                                                                                                                                                                 |                                                                  |                                                       |                                                                  |                |
| Software Features                                                                                                           | Scan, Copy, Print, Preview Edit, PDF, PDF/A, Multipage PDF, User Accounts, job log, Collated sets, Custom paper sizes, Adjust JPEG compression.                                                                                                                                                                                                                           |                                                                  |                                                       |                                                                  |                |
| Dimensions W x D x H (mm) / Weight (kg)                                                                                     | 1109 x 367 x 161mm, Weight : 15kg                                                                                                                                                                                                                                                                                                                                         |                                                                  |                                                       |                                                                  |                |



CANON SINGAPORE PTE. LTD.  
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522  
Tel : 65-6799-8888 | Fax : 65-6799-8882 | [www.canon-asia.com](http://www.canon-asia.com)



SCAN HERE  
FOR MORE INFO

CANON BUSINESS PARTNER / DEALER'S STAMP

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.  
Warning: Unauthorised recording of copyrighted materials may infringe on the rights of copyright owners and may be contrary to copyright laws.